



Veriton S2710G Specifications (v6-0-3)			
Category		Description	Footnotes
Operating system	1, 2	Windows 11 Pro 64-bit (Acer recommends Windows 11 Pro for business.) Windows 11 Home 64-bit. Windows 11 Pro (Windows 10 Pro Downgrade preinstalled) UEFI Shell	
CPU and chipset	1	CPU <ul style="list-style-type: none"> • 13th Generation Intel® Core™ i7 processor, Intel® UHD Graphics 770 • 13th Generation Intel® Core™ i5 processor, Intel® UHD Graphics 770 / 730 • 13th Generation Intel® Core™ i3 processor, Intel® UHD Graphics 730 Chipset <ul style="list-style-type: none"> • Intel® H610 Chipset 	
Memory	1, 3, 4	16 GB DDR4 3200 MHz UDIMM 8 GB DDR4 3200 MHz UDIMM 4 GB DDR4 3200 MHz UDIMM Up to 64 GB of Dual-channel DDR4 3200 MHz	
Storage	1, 5	Hard disk drive 1024 GB M.2 2280 PCI-e Gen4 Performance SSD 1024 GB M.2 2280 PCI-e Gen4 SSD 512 GB M.2 2280 PCI-e Gen4 SSD 512 GB M.2 2280 PCI-e SSD 256 GB M.2 2280 PCI-e Gen4 SSD 256 GB M.2 2280 PCI-e SSD 2 TB 3.5-inch 7200 RPM 1 TB 3.5-inch 7200 RPM	
Optical media drive		8X Super-Multi drive, 9.0 mm slim, tray-load <ul style="list-style-type: none"> • Read: CD-ROM, CD-R, CD-RW, DVD-ROM, DVD-Video, DVD-R (4.7 GB), DVD-R double-layer, DVD-RW (Ver 1.1/1.2), DVD+R, DVD+R double-layer, DVD+RW, DVD-RAM • Write: CD-R, CD-RW, HS-RW, US-RW, US-RW+, 8 cm CD, DVD-R, DVD-R double-layer, DVD-RW, DVD+R, DVD+R double-layer, DVD+RW, DVD-RAM, 8 cm DVD 	
Graphics	6	AMD Radeon™ RX 550 , 4 GB GDDR5 (supporting: DVI, HDMI®) NVIDIA® GeForce® GT 730 with 2 GB of DDR3 (supporting: DVI, HDMI®) NVIDIA® GeForce® GT 720 with 2 GB of DDR3 (supporting: DVI, HDMI®)	
Audio		Integrated high-definition, 5.1-channel surround sound	
Communication		WLAN 802.11ax/ac/a/b/g/n, Wi-Fi 6 and Bluetooth® 5	

Veriton S2710G Specifications (v6-0-3)		
Input and output	<p>Front/Side I/O connectors</p> <ul style="list-style-type: none"> • Audio jack(s): 1 • USB 3.2 Gen1 5Gbps Type A port(s): 4 <p>Rear I/O connectors</p> <ul style="list-style-type: none"> • D-Sub port(s): 1 • HDMI port(s) Port 1 HDMI-out 1.4b • DisplayPort (DP) ports: 1 • Serial ports on board header (COM2): 1 • LAN port(s): 1 • Audio jack(s): 3 • USB 2.0 Type A port(s): 4 	
Expansion slot(s)	<ul style="list-style-type: none"> • Number of PCIe x16 slot(s): 1 • Number of PCIe x1 slot(s): 1 • M.2 slot (for SSD): 1 • M.2 slot (for WLAN): 1 	
Commercial features	<p>TPM v2.0 (Trusted Platform Module)</p> <p>One-button recovery (OBR)</p> <p>Kensington lock slot</p> <p>100% solid capacitors</p> <p>PXE (Preboot eXecution Environment)</p> <p>WOL (Wake On Lan)</p>	
Commercial selected options	<p>COM (Series) port</p> <p>Dual-channel memory support</p> <p>Internal speaker</p> <p>Dust filter</p>	7
Dimensions	160 (W) x 306.32 (D) x 348.00 (H) mm (6.3 x 12.06 x 13.7 inches)	
Power supply and adapter	<p>Power supply</p> <p>300 W single-rail 12 V PFC (EuP), auto-sensing, 80PLUS Platinum, TFX</p> <p>300 W single-rail 12 V PFC (EuP), auto-sensing, 80PLUS Bronze, TFX</p> <p>180 W PFC, auto-sensing, 80PLUS[#] Bronze, TFX</p>	
System compliance	<p>RoHS</p> <p>DMI</p> <p>GS</p> <p>ENERGY STAR[®]</p> <p>PC2001</p>	
Options and accessories	<p>Wireless (2.4 GHz RF) keyboard and mouse</p> <p>USB keyboard and mouse</p>	
Certification	<p>BSMI</p> <p>CE</p> <p>FCC</p> <p>CB</p>	
1. Specifications vary depending on model.		

Veriton S2710G Specifications (v6-0-3)

2. 64-bit software is required to enjoy the advantages of 64-bit processing.
3. A 64-bit operating system is required to enjoy the ultimate performance of 4 GB or higher memory.
4. Memory speed may vary, depending on the CPU, chipset or memory fitted.
5. 1 GB is 1 billion bytes. Actual formatted capacity is less and may vary depending on preloaded materials and operating environment. Recovery Management uses a portion of the stated hard disk capacity as dedicated backup space.
6. Total available graphics memory comprises dedicated video memory, system memory, and shared system memory. This figure will vary depending on system memory, installed drivers, BIOS settings and other factors.
7. For systems with a dual-channel configuration, the two memory modules inserted must be identical, including raw card, size, type, and speed.

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may vary depending on region.

© 2023. All rights reserved.

Microsoft and Windows are registered trademarks of Microsoft Corporation.

Ultrabook, Celeron, Celeron Inside, Core Inside, Intel, Intel Logo, Intel Arc graphics, Intel Atom, Intel Atom Inside, Intel Core, Intel Inside, Intel Inside Logo, Intel vPro, Intel Evo, Pentium, Pentium Inside, vPro Inside, Xeon, Xeon Inside, Intel Agilix, Arria, Cyclone, Movidius, eASIC, Ethernet, Iris, Killer, MAX, Select Solutions, Si Photonics, Stratix, Tofino, and Intel Optane are trademarks of Intel Corporation or its subsidiaries.

About Acer

Founded in 1976, Acer is one of the world's top ICT companies with a presence in more than 160 countries. As Acer evolves with the industry and changing lifestyles, it is focused on enabling a world where hardware, software and services will fuse with one another, creating ecosystems and opening up new possibilities for consumers and businesses alike. Acer's 7,500 employees are dedicated to the research, design, marketing, sale, and support of products and solutions that break barriers between people and technology.

Please visit www.acer.com for more information.

